

Brief Therapy Conference
December 9, 2018

You Can Treat OCD

Reid Wilson, PhD
Chapel Hill, NC, USA
drwilson@anxieties.com
www.anxieties.com
NoiseInYourHead.com

1

Objectives

1. Defend the importance of altering perception, as opposed to utilizing technique, to help clients with OCD
2. Describe & utilize a self-help strategy to frame the treatment protocol for OCD
3. Construct & assign behavioral experiments to test out the reliability & validity of this protocol without the use of hierarchies

Video clips courtesy of *Psychotherapy.net*

Strategic Treatment of Anxiety Disorders

3

Here comes

“... the importance of altering perception,
as opposed to utilizing technique, to help
clients ...”

from Objective 1

4

Therapist Tasks

- Get rapport (and get it again)
- Get placebo
- Get an outcome picture
- Persuade them to adopt paradoxical frame of reference
- Collaborative paradoxical strategies
- Behavioral experiments

5

- Pull them away, step-by-step, from their frame of reference (FofR)
 - dismantle their logical system
 - box it all up into one entity
 - “It’s irrelevant”
 - “It’s white noise”
 - “That’s the Disorder talking”

6

Build a compelling new logical system

- Don't just explain it; install it!
- It's NOT that. It's THIS!
- Install it NOW, at the beginning of treatment
- Install it deeply enough that it holds over time

But do all this with finesse

7

8

Your challenger—OCD—taught you
rules so IT could win

Here they are...

OCD Rules

1. Be careful or you might cause a horrible problem **OR**

Be worried that you've already caused one

Loved one dies Lose something valuable
Be rejected
Contamination
Going crazy I harm or kill someone Go to Hell
Poor grades **Be abandoned** Get sick

OCD Rules

2. If a fearful thought pops up, take it seriously

“This is a signal!” **“Oh, no!”**
“What does this mean!”
“I need to do something!”
“This is important!”

OCD Rules

3. Feel absolutely certain

(that you haven't caused or won't cause a problem; that you haven't made a mistake; that everyone will be safe)

OCD Rules

4. Use your anxiety as a gauge: if you feel uncomfortable, then there is still **Danger**

OCD Rules

5. Always act defensively

Back away/avoid

Give up territory


Worry/dread
future

Do rituals/
compulsions

When you act 100% defensively,
OCD always wins

14

You



OCD



These are all the same! And...
They are NOT relevant

15

- “I think that spot might have been **blood**?”
- “Did I **run someone over**?”
- “If I don’t undo that, **something bad may happen.**”
- “There’s a chance I just offended **God.**”
- “What if I did something **terrible without knowing it?**”
- “This **doesn’t feel right.**”

Get.

Off.

Content.

16

Treatment of OCD

<p>“I can’t handle that!”</p>	<p>“I don’t like it, but I can handle it”</p>
<ul style="list-style-type: none">• Humiliating self with coworkers• Allowing kids to be in danger• Harming family → salmonella• Accidentally burning house down• Realizing I’m bad person• Running someone over• Touching a child sexually• Causing something horrendous	<p>A generic sense of uncertainty & distress</p>



Segment 4 3.5 min

We want to go one level up in abstraction.

“...step out of...”

“I wash my hands to get rid of contamination”

“...then step into...”

“I do a repetitive behavior to get rid of my doubt about something that seems risky or dangerous.”


19

Here comes

“... a self-help strategy to frame the treatment protocol ...”

from Objective 2

20



Segment 8 5.5 min

[I stop to see if she is tracking me]

This is not just exposure

It's an attitude change

- “I’m asking you to want to feel contaminated, & then feel contaminated... go get it, on purpose.”

22

A dark blue slide with a yellow border. At the top left, a yellow box contains the text "Segment 8". At the top right, a yellow box contains the text "5.5 min". The main text is in white. At the bottom right, there is a yellow arrow pointing to the right and the number 22.

EXTERNALIZE – DETACH

“What happens to OCD when you start saying, ‘I’m looking for opportunities to feel contaminated’?”

- “It’s not feeding it” [meaning “then my stance would not feed the OCD”]



23



“What’s going to happen to OCD if you say, ‘This is exactly what I want right now’?”

- “Maybe it makes the OCD uncomfortable”

“...How would you like to turn tables on OCD?”

- “That would be awesome!”

24



27

“Could I really act on that thought?”

“Oh, no! I need to find out!”

← automatic

“**Good.** There is my obsession. I am not answering that question. I WANT to not know.”

“I am scared!”

“**Good.** I am looking for anxiety too.”

28

Act as though...

I want to take actions right now as though...

- ✓ everything is OK just the way it is unfolding
- ✓ this is exactly what needs to be happening right now
- ✓ I have enough skills
- ✓ The content of my obsession is irrelevant

Stepping Forward

29

Step 1: Create Your Strategy

1. Act as though the content is irrelevant
2. Accept the worry when it pops up
3. Seek out uncertainty
4. Seek out anxiety
5. Create rules if you need them

Step 2: Generate Motivations or Commands



30

Messages of motivation

Self-instructions/commands

30

Here comes

“...behavioral experiments to test out protocol without the use of hierarchies ...”

from Objective 3

31

Segment 10 1.5 min

Ownership

- Put your game face on

Detachment & Absorption

- Focus on outcome picture
- I want my family back
- So, I don't *like* it, but I want it!

Take the hit

32

Segment 11

3.5 min

DETACHMENT & OWNERSHIP

- Challenging the difference between what Disorder tells her to be afraid of & what she's actually afraid of. She is just plain scared. Perfect.
- Therefore, we can *[but don't have to]* go to the highest item on Disorder's list. And why not? It's a meaningless hierarchy.
- She picks the dirtiest spot on the floor to touch. Ownership in the protocol!

33

Bob: Making the messages his own

- "What's next?"
- "Let 'em come – Give me your threats"
- "I don't care... I'm not playing this game"
- "You wanna go? Give it to me – Let's go"
- He's mindful
 - starting activity that might trigger thought

He's all in!

34


Clip 6

5 min

Treatment of OCD

REID!
Not showing
video

- Self talk: “I can handle this”
- “...as long as I keep that **mentality**, & as long as I don’t back away”
- “Biggest thing: I’m challenging it... that **mentality**, with the phrases”



35

- “...not sitting on couch, doing exposure... acting scared the whole time”
- “You become the aggressor” [**This is an aggressive sport!**]
 - “ ‘I can’t hear you’ ”
 - “If one slips through, ‘That’s a good one. Give me more. What’s next? Let’s go.’ ”

36

Clip 7

3 min

37

The Game

“The only function of this game is to train you in the tactics of our strategy”

38

The APP -- Anxietychallenger.com



Anxiety Challenger

Identify Your Anxieties
Challenge Them On Your Mobile Device
Score!

Menu

INSTANT CHALLENGE SCHEDULE CHALLENGE

ANDROID IPHONE

How to Score a Point

39

1. Generate at least some uncertainty or distress regarding your theme
2. When you feel bothered by doubt or distress (whether before, during or after that task)...
 - Step back & acknowledge it (“Ugh. This is hard.”)

(continued)

40

- Sub-vocalize a message that helps you stay engaged in your chosen activity:
 - Encourage yourself (“I can do this”)
 - Instruct yourself (“Keep moving!”), or
 - Talk in a cunning way to Anxiety (“Give me more, please”)
- 3. Then turn your attention back to your chosen task, even while you still feel uncertain & uncomfortable

SCORE!

NoiseInYourHead.com

Free, short videos

- How Anxiety Uses Basic Human Nature against You (5 min.)
- Why You Should Step AWAY from Your Worries” (5 min.)
- Why You DON’T Need to Relax to Get Control” (6 min.)
- How to Transform Fear” (6 min.)